



<i>Stone Effect Outdoor Porcelain</i>	<i>1 Size</i>
<i>1 Finish</i>	<i>3 Colours</i>

Street Scene

Street Scene is a 20mm outdoor porcelain paver with a quiet, natural stone character. Three understated tones – Beige, Graphite and Grey – blend effortlessly into planting and hard landscaping, softening terraces, walkways and roof decks.



PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO
<i>Street Scene is a 20mm outdoor porcelain paver with a quiet, natural stone character. Three understated tones – Beige, Graphite and Grey – blend effortlessly into planting and hard landscaping, softening terraces, walkways and roof decks. Rectified 595 x 595mm slabs with a matt R11 surface carry UPEC certification for raised installation on a four-pedestal system.</i>			PYRO + ECHO	PYRO + ECHO	PYRO + ECHO
<i>Designed for commercial landscaping as well as domestic patios and terraces, Street Scene lays as easily on adjustable pedestals as it does on gravel, sand or a bonded screed. Its UPEC classification allows each slab to be supported at its four corners, rather than the five-pedestal layout often specified for commercial areas – simplifying raised decks, podiums and roof terraces without compromising strength.</i>			PYRO + ECHO	PYRO + ECHO	PYRO + ECHO
PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO
PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO
PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO
PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO
PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO	PYRO + ECHO



RESOUNDING LUXURY



STREET SCENE | COLOUR PALETTE

BEIGE



GRAPHITE



GREY



KEY GUIDE

 Floor Tile

 Outdoor

 Frost Resistant

 Rectified

 Matt Finish

 R11 Slip Rating


 PTV 36+ (Low Slip Potential)

 V3 Significant Variation

 20mm Thickness

 U3 P3 E3 C2

Images for illustration purposes only. We advise requesting samples prior to ordering. Exact colour matching cannot be guaranteed as products have natural variation in shade, colour and pattern between each tile.



595 X 595 X 20MM SLABS · PEDESTAL AT EACH CORNER

RAISED DECKS · ROOF TERRACES · PODIUMS


- Pedestal support at every corner – each slab rests on one quarter of the pedestal head, with no mid-span (fifih) pedestal required.
- UPEC certified (U3 P3 E3 C2) for a higher resistance to breaking load – the basis for supporting each slab on four pedestals.
- Compatible with adjustable, fixed-height and self-levelling pedestal systems for 600 x 600 x 20mm porcelain – always follow the pedestal manufacturer’s load tables and installation guide.
- Open joints let rainwater drain freely to the waterproofed substrate beneath; a 0.5–2% fall on the substrate is recommended.
- Also suitable for laying on compacted gravel or sand, or bonding to a screed with a suitable adhesive.

PERFORMANCE	VALUE	STANDARD
UPEC classification	U3 P3 E3 C2 – F+	CSTB Cahier 3778_V6
Breaking strength	Min. 1300 N declared · 13,000 N achieved (supplier test)	EN ISO 10545-4
Modulus of rupture	Min. 35 N/mm² declared · 57 N/mm² achieved	EN ISO 10545-4
Water absorption	Max. 0.5% (Group BIa)	EN ISO 10545-3
Frost resistance	Pass	EN ISO 10545-12
Reaction to fire	A1fl	EN 14411
Packaging	2 slabs / 0.71 m² / 31 kg per box · 21.3 m² / 924 kg per pallet	–

Pedestal layout, head size and maximum load should be confirmed for each project against the pedestal manufacturer’s data and the structural design. Pyro + Echo technical advice is available on request.



STREET SCENE | SIZES



595 x 595

To arrange samples, technical advice relating to slip resistance, pedestal layout, sub-base preparation and care and maintenance, please contact us on our technical helpline.

T 020 3900 0392
studio@pyroandecho.com

	SIZE (MM)	THICKNESS	FINISH	AVAILABLE IN	STOCKED IN	SLIP	SHADE VAR.	PEI	MATERIAL
A	595 x 595	20mm	Matt	Beige, Graphite, Grey	No (To Order)	R11 / PTV 36+	V3	PEI 4	Porcelain

